

Series: AXIAL-FAN Type A/AW

FISCHBACH

Luft- und Ventilatorentechnik GmbH

Type: **AW560/D850**

ERP KONFORM



CE -conform

manufacturer:

Fischbach Luft- und Ventilatorentechnik GmbH
Am Hellerberg 22-24

D-57290 Neunkirchen

phone: ++49(0)2735/777-0

telefax: ++49(0)2735/770-625

internet: www.fischbach-luft.de


email: info@fischbach-luft.de

- available:
- only aggregate
 - with square wall frame, with grids
 - with round wall frame, with grids
 - with double-flange pipe


Technical Data

weight:	(kg)	35
material housing:		steel, galvanized
material impeller:		plastic
direction of rotation:		left
protection class:		IP 65
insulation class:		F
motor protection:		thermal contact

connection plan
0.13-2 I.



the silent one



Type: **AW560/D850**

Erp 2013 2015 x 2018

Performance data


main voltage:	(V)	400 (3~)
frequency:	(Hz)	50
current max.:	(A)	2,5
power input max.:	(kW)	0,99
air flow volume max.:	(m³/h)	12354
statical pressure max.:	(Pa)	180
speed max.:	(rpm)	1410
supply air temperature:	(°C)	-25... +40
capacitor:	(µF)	-

* aggregate/square-/round wall frame/double-flange pipe

ErP-Data:

total efficiency fan (η_e):	(%)	36,2
installation category:		A
efficiency category:		static
efficiency grade: N	(%)	40
target efficiency (η_{target}):	(%)	33,6
speed controller		no
year of manufacturing		since 2015
manufacturer:	Fischbach Luft- und Ventilatorentechnik GmbH D-57290 Neunkirchen / HRB 5804 Siegen	
order no. *	18030255/18030455/18030355/18030555	
power input:	(kW)	0,98
air flow volume:	(m³/h)	7885
statical pressure:	(Pa)	162
speed:	(rpm)	1398
specific ratio:		1

disassembling/recycling/disposal: see page decommission
 installation/operation/maintenance: see operating and mounting instructions
 measurement for determination of efficiency without additional items



Speed controller / accessories / sound data, please see in the appropriate table

Technical documentation according to page: **General information**